## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		\$45 and (compar\$3 near3 threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:45
		\$25 and ((send\$3 or transmit \$4 or reply\$3) near3 (frame or (ip adj address))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:40
		S15 near3 J\$W	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:44
L11	131	"6269369"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 13:53
L12	0	"6269369.pn."	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 13:53
L13	2	(*6269369*.pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 13:53
L14	2	["20050289470"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 13:54
L19	297	(restrict\$3 or prevent\$3 or stop\$3) near3 (use or access \$3) near3 IP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50
L20	45	L19 AND (dhcp near2 server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2009/03/25 14:50

L21	25	L20 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	MADJ	ON	2009/03/25 14:50
L22	9	L21 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50
L23	5	L21 and "709"/223.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50
L24	2	L21 and "709"/224.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50
L25	0	L21 and "709"/225.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50
L26	0	L21 and "709"/226.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50
L27	0	L21 and "709"/227.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50
L28	1	L21 and "709"/228.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:51
L29	3	L21 and "726"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:51
L30	1	L21 and "713"/\$.cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2009/03/25 14:51

S1	12	(creat\$3 near3 dhcp) and ((send\$3 or transmit\$4) adj request) and ((transmit\$4 or send\$3) adj frame)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:16
S2	10	S1 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:16
S3	4	"2002023160"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:19
S4	11	(prevent\$3 or stop\$3) near3 (mis\$us\$3 or illegitimat\$3) near3 IP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:20
S5	1	S4 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:20
<b>S</b> 6	1	fire\$wall and (IP adj address) and dhcp and switch and subsciber and request	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:23
S7	1249	fire\$wall and (IP adj address) and dhcp and switch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:24
S8	597	S7 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:24
S9	2	"20060155853"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:25
S10	0	S8 and (prevent\$3 near3 (use or using) near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:26

S11	37	S8 and (prevent\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	MADJ	ON	2008/09/10 13:27
S12	21	S11 and compar\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:35
S13	12	St1 and (compar\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:35
S14	2	"02023160"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:44
S15	5409	garrett.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:44
S16	0	S15 near3 "J.W"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:45
S17	223	(plurality or multiple or list) adj DHCP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:21
S18	9445	(ask\$3 or request\$3) near3 (IP address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:22
S19	1620	S18 and (DHCP adj server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:23
S20	168	\$19 and (compar\$3 near3 (ip adj address))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2008/10/15 11:24

S21	2	"20060155853"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:26
S22	19	\$20 and ((send\$3 or transmit \$4) adj frame)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:30
S23	14	S22 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:33
S24	9271	request\$3 near3 (IP address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:38
S25	1612	S24 and (DHCP adj server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:39
<b>S2</b> 6	990	S25 and ((send\$3 or transmit \$4 or reply\$3) near3 (frame or (ip adj address)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:40
S27	283	\$26 and ((filter\$3 or match \$3 or compar\$3) near3 (ip adj address))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:41
S28	178	S27 and (@ad< "20021106" or @rlad< "20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:43
S29	94	\$28 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:47
S30	49	S29 and filter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2008/10/15 11:49

S31	3	\$30 and (filter near5 ((stor\$3 or sav\$3) near3 (mac or identfication or ip)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:51
S32	3	S31 and (@ad< "20021106" or @rlad< "20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:51
S33	4	S30 and S17	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 13:31
S34	4	S33 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 13:31
S35	3708	S24 and ((send\$3 or transmit \$4) near3 (frame or (IP adj address)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:51
S36	435	\$35 and ((dis\$card\$3 or delet \$3 or reject\$3) near3 (frame or (IP adj address)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:52
<b>S</b> 37	130	S36 and ((IP adj address) near3 (difer\$3 or different))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:52
S38	90	S37 and (@ad<"20021106" or @rlad< "20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:53
S39	24	((dis\$card\$3 or delet\$3 or reject\$3) near3 (frame or (IP adj address))) same ((IP adj address) near3 (difer\$3 or different))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:53
S40	10	S35 and S39	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2008/10/15 14:53

S41	6	\$40 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	MADJ	ON	2008/10/15 14:53
S42	1	attemp\$3 near3 illegitimat\$3 near3 IP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:40
S43	181	(attempt\$3 or try\$3) near5 compar\$4 near5 threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:43
S44	154	(attempt\$3) near5 compar\$4 near5 threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:43
S45	256	(send\$3 or transmit\$3) near5 (warn\$4 or messag\$3) near3 (exceed or more or above) near3 threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:44
S46	0	S44 and S45	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:44
S47	58	S45 and (compar\$3 near3 threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:45
S48	35	S47 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:45
S49	0	\$48 and (ask\$3 or request \$3) near3 (IP address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:46
S50	4	S48 and (IP adj address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2008/10/16 11:46

S51	7	S48 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	*ADJ	ON	2008/10/16 11:48
S52	68	(send\$3 or transmit\$3) near5 (warn\$4) near5 (exceed) near5 threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:52
S53	26	S52 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:52
S54	3	\$53 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:52
<b>S</b> 55	1	S53 and (IP adj address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:54
S56	1	S53 and IP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:55
S57	4	((attemp\$3 or connect\$3) near3 (IP adj address)) and (compar\$3 near3 (attemp\$3 or connect\$3) near3 threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:05
S58	2	S57 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:05
S59	23	((attemp\$3) near3 (IP adj address)) and (compar\$3 near3 threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:07
S60	7	S59 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2008/10/16 12:07

S61	40	((send\$3 or transmit\$3) adj (warn\$4)) near5 ((exceed\$3) near5 threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	#ADJ	ON	2008/10/16 12:20
S62	15	961 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:21
S63	47	((send\$3 or transmit\$3) adj (warn\$4)) near5 ((exceed\$3 or more or above or bigger o gigher) near5 threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:22
S64	18	963 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:22
S65	3	S64 not S62	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:22
S66	47	S45 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:34
S67	0	S45 and "709"/220.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S68	0	S45 and "709"/222.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S69	5	S45 and "709"/223.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S70	4	S45 and "709"/224.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2008/10/16 12:35

S71	6	S45 and "709"/225.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S72	1	S45 and "709"/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S73	1	S45 and "709"/227.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S74	1	S45 and "709"/228.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S75	3	S45 and "709"/229.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S76	9460	(ask\$3 or request\$3) near3 (IP address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S77	1623	S76 and (DHCP adj server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S78	168	S77 and (compar\$3 near3 (ip adj address))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S79	78	S78 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36
S80	1	S78 and "709"/222.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2008/10/16 12:36

S81	6	S78 and "709"/223.ccls	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	#ADJ	ON	2008/10/16 12:36
S82	12	S78 and "709"/224.ccls	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36
S83	4	S78 and "709"/225.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36
S84	3	S78 and "709"/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36
S85	8	S78 and "709"/227.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36
S86	10	S78 and "709"/228.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36
S87	8	S78 and "709"/229.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36
S88	4	nesz.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:39
S89	8627	johansson.in.	US-PGPUB; USPAT, FPRS, EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:39
S90	277	juhl.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2008/10/16 12:39

S91	8900	S88 or S89 or S90	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:43
S92	1	\$91 and (compar\$3 near3 attemp\$3 near3 threshold). clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:44
S93	297	(restrict\$3 or prevent\$3 or stop\$3) near3 (use or access \$3) near3 IP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 15:25
S94	45	S93 AND (dhcp near2 server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 15:26
<b>S</b> 95	2	\$94 and ((discard\$3 or reject or restrict\$3) near2 frame)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 15:27
S96	0	S95 and (@ad<"20021106" or @rlad< "20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 15:27
S97	25	S94 and (@ad<"20021106" or @rlad< "20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 15:27
S98	5	S97 and ((valid or trust\$3 or legit\$3) near3 (frame or source or IP))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 15:31

<sup>3/25/2009 2:52:05</sup> PM

C:\ Documents and Settings\ staha\ My Documents\ EAST\ Workspaces\ 10531753.wsp